



Body Cameras **DrivePro™ Body 60**

Transcend's DrivePro Body 60 body camera features a compact camera unit tethered to a control unit, allowing for a wide variety of attachment options. Tailor-made for public safety professionals, the rugged and highly responsive DrivePro Body 60 allows high-definition evidence collection and wireless data previews and transfers.



Outdoor

Indoor

Exmor™ high-sensitivity image sensor

The DrivePro Body 60 features the Exmor™ sensor to capture high-resolution images with superb, rich color even in low light. Images are highly detailed with low noise and excellent balance between light and dark areas.



Tethered camera unit

The DrivePro Body 60 is composed of a control unit tethered to a compact camera unit that can be securely mounted on shoulder harnesses or helmets, making it a solid choice for filming in the dynamic environments public safety officers work in every day.



Bluetooth and Wi-Fi connectivity

Designed to work with Transcend's DrivePro Body App, the DrivePro Body 60 supports both Bluetooth for basic setup and switching modes, and Wi-Fi connectivity for live streaming of videos on iOS and Android mobile devices.



Body Cameras

DrivePro™ Body 60

Features

- High sensitivity Exmor™ image sensor
- Supports Bluetooth and Wi-Fi connection
- Built-in GPS/GLONASS receiver
- Built-in 10-hour battery for long recording time
- Compliant with IP67 and U.S. military standards to be dust-proof, waterproof, and shock resistant

Specification

Appearance

Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")
Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")
Weight (Max.)	167 g (5.89 oz)

Interface

USB Type	3.5mm plug to USB Type A
Connection Interface	USB 2.0

Storage

Capacity	64GB internal memory
----------	----------------------

Hardware

Viewing angle	130° (diagonal)
Aperture	F/2.8

Power

Battery Life (Fully Charged)	10 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A

Format

Resolution	Full HD 1080P
Frame Rate	30 fps
Video Format	MP4 (H.264)

Operating Environment

Operating Temperature	-20°C (-4°F) ~ 65°C (149°F)
Storage Temperature	-25°C (-13°F) ~ 70°C (158°F)
IP Rating	IP67

Warranty

Certificate	CE / FCC / BSMI / KC / NCC / MIC / EAC / RCM
Warranty	Two-year Limited Warranty

Ordering Information

64GB	TS64GDPB60A
------	-------------



DrivePro Body Toolbox



Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the toolbox.

Body Cameras Comparison



DrivePro™ Body 60



DrivePro™ Body 30



DrivePro™ Body 52



DrivePro™ Body 20



DrivePro™ Body 10

Appearance

Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77")
-------------------	--	--	--	--	--

Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	-	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")	-	-
--------------------------	--	---	---	---	---

Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)
---------------	-----------------	-----------------	----------------	----------------	----------------

Camera Weight (Max.)	-	-	64 g (2.26 oz)	-	-
----------------------	---	---	----------------	---	---

Interface

USB Type	3.5mm plug to USB Type A	3.5mm plug to USB Type A	3.5mm plug to USB Type A	3.5mm plug to USB Type A	micro USB to USB Type A
----------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------------

Connection Interface	USB 2.0				
----------------------	---------	--	--	--	--

Storage

Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB
----------	----------------------	----------------------	----------------------	----------------------	------

Hardware

Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)
---------------	-----------------	-----------------	-----------------	-----------------	-----------------

Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8
----------	-------	-------	-------	-------	-------

Image Sensor	Exmor™	STARVIS™	Exmor™	Aptina™	STARVIS™
--------------	--------	----------	--------	---------	----------

Infrared LEDs	-	✓	-	-	✓
---------------	---	---	---	---	---

Wi-Fi	✓	✓	✓	✓	-
-------	---	---	---	---	---

Bluetooth	✓	✓	-	-	-
-----------	---	---	---	---	---

Microphone	✓	✓	✓	✓	✓
------------	---	---	---	---	---

Vibration Alert	✓	✓	-	-	-
-----------------	---	---	---	---	---

Buffering Mode	✓	✓	-	-	-
----------------	---	---	---	---	---

Event Recording	-	-	✓	✓	✓
-----------------	---	---	---	---	---

Loop Recording	✓	✓	✓	✓	✓
----------------	---	---	---	---	---

Power

Battery Life (Up to)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)
----------------------	------------	------------	-------------	-------------	-----------

Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A				
---------------------	--	--	--	--	--

Format

Resolution	Full HD 1080P				
------------	---------------	--	--	--	--

Frame Rate	30 fps	30/60 fps	30 fps	30 fps	30/60 fps
------------	--------	-----------	--------	--------	-----------

Video Format	MP4 (H.264)	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)
--------------	-------------	-------------	-------------	-------------	-------------

Operating Environment

IP Rating	IP67	IP67	IPX4	IPX4	IPX4
-----------	------	------	------	------	------

Warranty

Warranty	Two-year Limited Warranty				
----------	---------------------------	--	--	--	--

Note: Exmor/STARVIS is a trademark of Sony Corporation. Aptina is a trademark of Aptina Imaging Corporation.